



Introducing Neural Bag of Whole-Words with ColBERTer: Contextualized Late Interactions using Enhanced Reduction

Sebastian Hofstätter
TU Wien

Omar Khattab
Stanford University

Sophia Althammer
TU Wien

Mete Sertkan
TU Wien

Allan Hanbury
TU Wien

ABSTRACT

Recent progress in neural information retrieval has demonstrated large gains in quality, while often sacrificing efficiency and interpretability compared to classical approaches. We propose ColBERTer, a neural retrieval model using contextualized late interaction (ColBERT) with enhanced reduction. Along the effectiveness Pareto frontier, ColBERTer dramatically lowers ColBERT’s storage requirements while simultaneously improving the interpretability of its token-matching scores. To this end, ColBERTer fuses single-vector retrieval, multi-vector refinement, and optional lexical matching components into one model. For its multi-vector component, ColBERTer reduces the number of stored vectors by learning unique whole-word representations and learning to identify and remove word representations that are not essential to effective scoring. We employ an explicit multi-task, multi-stage training to facilitate using very small vector dimensions. Results on the MS MARCO and TREC-DL collection show that ColBERTer reduces the storage footprint by up to 2.5×, while maintaining effectiveness. With just one dimension per token in its smallest setting, ColBERTer achieves index storage parity with the plaintext size, with very strong effectiveness results. Finally, we demonstrate ColBERTer’s robustness on seven high-quality out-of-domain collections, yielding statistically significant gains over traditional retrieval baselines.

CCS CONCEPTS

• Information systems → Learning to rank;

KEYWORDS

Neural Ranking; Dense-Sparse Hybrid Retrieval

ACM Reference Format:

Sebastian Hofstätter, Omar Khattab, Sophia Althammer, Mete Sertkan, and Allan Hanbury. 2022. Introducing Neural Bag of Whole-Words with ColBERTer: Contextualized Late Interactions using Enhanced Reduction. In *Proceedings of the 31st ACM Int’l Conference on Information and Knowledge Management (CIKM ’22)*, Oct. 17–21, 2022, Atlanta, GA, USA. ACM, New York, NY, USA, 11 pages. <https://doi.org/10.1145/3511808.3557367>


1 INTRODUCTION

Traditional retrieval systems have long relied on bag-of-words representations to search text collections. This has led to mature architectures, in which compact inverted indexes enable fast top-*k*

Q does doxycycline contain sulfa

BERT tokenized (9 subword-tokens): ‘does’, ‘do’, ‘##xy’, ‘##cy’, ‘##cl’, ‘##ine’, ‘contain’, ‘sul’, ‘##fa’

ColBERTer BOW² (30 saved vectors from 84 subword-tokens):



Fulltext: No doxycycline is not a sulfa containing compound, so you may take it safely if you are allergic to sulfa drugs. You should be aware, however, that doxycycline may cause photosensitivity, so you should wear appropriate clothing, or you may get easily sunburned or develop a rash if you are exposed to sunlight.

Figure 1: Example of ColBERTer’s BOW² (Bag Of Whole-Words): ColBERTer stores and matches unique whole-word representations. The words in BOW² are ordered by implicitly learned query-independent term importance. Matched words are highlighted in blue with whole-word scores displayed in a user-friendly way next to them.

retrieval strategies, while also exhibiting interpretable behavior, where retrieval scores can directly be attributed to contributions from individual terms. Despite these qualities, recent progress in Information Retrieval (IR) has firmly demonstrated that pre-trained language models can considerably boost effectiveness over classical approaches. This progress has raises questions about how to control the computational cost and how to ensure interpretability of these neural models. This has sparked an unprecedented tension in IR between achieving the best retrieval quality, maintaining low computational costs, and prioritizing interpretable modeling.

For practical applications, IR architectures are confined to strict cost constraints around query latency and space footprint. While disk space might be affordable, keeping large pre-computed representations in memory—as often needed for low query latency—increases hardware costs considerably. For multi-vector models like ColBERT [22], space consumption is determined by a multiplication of three variables: 1) the number of vectors per document; 2) the number of dimensions per vector; 3) the number of bytes per dimension. This work is motivated by the observation that reducing any of these three variables directly reduces the storage requirement proportionally and yet different choices carry different impact on effectiveness. Well-studied *low hanging fruits* for good tradeoffs include reducing the number of dimensions and reducing the number of bytes with quantization [12, 19, 25, 34]. Reducing the number of vectors offers a rich design space around model architecture and retrieval strategy.

Besides efficiency, the accelerating adoption of machine learning coincides with indications that future regulatory environments



This work is licensed under a Creative Commons Attribution International 4.0 License.

CIKM ’22, October 17–21, 2022, Atlanta, GA, USA
© 2022 Copyright held by the owner/author(s).
ACM ISBN 978-1-4503-9236-5/22/10.
<https://doi.org/10.1145/3511808.3557367>

will require deployed models to provide transparent and reliably interpretable output to their users.¹ This need for interpretability is especially pronounced in IR, where the ranking models are demanded to be fair and transparent [6]. Despite this, the two largest classes of neural models at the moment—namely, cross-encoders and single-vector bi-encoders—rely on opaque aggregations that conceal the contributions of query and document terms on retrieval scores.

This paper presents a novel end-to-end retrieval model called **ColBERTer**. ColBERTer extends the popular ColBERT model with effective enhanced reduction approaches. These reductions increase the level of interpretability and reduce the storage and latency cost greatly, while maintaining the quality of retrieval.

ColBERTer fuses a single-vector retrieval and multi-vector refinement model into one with explicit multi-task training. Next, ColBERTer introduces neural Bag of Whole-Words (BOW²) representations for increasing interpretability and reducing the number of stored vectors in the ranking process. The BOW² consist of the aggregation of all subword token representations contained in a unique whole word. To further reduce the number of vectors, ColBERTer learns to remove BOW² representations with simplified contextualized stopwords (CS) [17]. And to reduce the dimensionality of the token vectors down to one, our methods employ an Exact Matching (EM) component that aligns representations across only lexical matches from the query and document, a model variant we call **Uni-ColBERTer** following the nomenclature of Lin and Ma [26].

Figure 1 illustrates ColBERTer’s BOW² representation and how we can display whole-word scores to the user in a keyword view. By aggregating all subwords to whole words, the whole-word scores of this complex medical-domain query illustrate ColBERTer’s interpretability capabilities, without cherry picking examples that only contain words that are fully part of BERT’s vocabulary.

The ColBERTer architecture enables various indexing and retrieval scenarios. Building on recent work [12, 26], we provide a holistic categorization and ablation study of five possible usage scenarios of ColBERTer encoded sequences: sparse token retrieval, dense single vector retrieval, as well as refining either one of the retrieval sources and a full hybrid mode. Specifically, we study:

RQ1 Which aggregation and training regime works best for combined retrieval and refinement capabilities of ColBERTer?

We find that multi-task learning with two weighted loss functions for retrieval and refinement and a learned score aggregation of both consistently outperforms fixed score aggregation. We investigate jointly training aggregation, BOW², and contextualized stopwords with a weighted multi-task loss. We find that tuning the weights improves the tradeoff between removed vectors and retrieval quality, but that the results are robust to small hyperparameter changes.

Following our definition of dense and sparse combinations, we study various deployment scenarios and answer:

RQ2 What is ColBERTer’s best indexing and refinement strategy?

Interestingly, we find that a full hybrid retrieval deployment is unnecessary, and only results in very modest and not significant

gains compared to a sparse or dense index with passage refinement of the other component. While a dense index produces higher recall than a sparse one, the effect on the top 10 results becomes negligible after refinement, especially on TREC-DL. This novel result could lead to less complexity in deployment, as only one index is required. Practitioners could choose to keep a sparse index, if they already made significant investments or choose only a dense approximate nearest neighbor index for more predictable query latency. Both sparse and dense encodings of ColBERTer can be optimized with common indexing improvements.

With our hyperparameters fixed, we aim to understand the quality effect of reducing storage factors along 2 axes of ColBERTer:

RQ3 How do different configurations of dimensionality and vector count affect the retrieval quality of ColBERTer?

We study the effect of BOW², CS, and EM reductions on across dimensions (32, 16, 8, and 1) and find that, while retrieval quality is reduced with each dimension reduction, the delta is small. Furthermore, we observe that BOW² and CS reductions result – on every dimension setting – in a Pareto improvement over simply reducing the number of dimensions.

While we want to emphasize that it becomes increasingly hard to contrast neural retrieval architectures – due to the diversity surrounding training procedures – and make conclusive statements about "SOTA" – due to evaluation uncertainty – we still compare ColBERTer to related approaches:

RQ4 How does the fully optimized ColBERTer system compare to other end-to-end retrieval approaches?

We find that ColBERTer improves effectiveness compared to related approaches, especially for systems with low storage footprint. Uni-ColBERTer especially outperforms previous single-dimension token encoding approaches, while offering improved transparency with score mappings to whole words.

To evaluate the robustness of ColBERTer we test it on seven high-quality and diverse collections from different domains. We use a meta-analysis [45] that reveals whether statistical significant gains are achieved over multiple collections. We investigate:

RQ5 How robust is ColBERTer when applied out of domain?

We find that ColBERTer with token embeddings of 32 or Uni-ColBERTer with 1 dimension both show an overall significantly higher retrieval effectiveness compared to BM25, with not a single collection worse than BM25. Compared to a TAS-Balanced trained dense retriever [16] ColBERTer is not statistically significantly worse on any single collection. While we observe an overall positive effect it is not statistically significant within a 95% confidence interval. This robust analysis tries to not overestimate the benefits of ColBERTer, while at the same time giving us more confidence in the results. We publish our code, trained models, and documentation at: github.com/sebastian-hofstaetter/colberter

2 BACKGROUND

This section empirically motivates storing unique whole-word representations, reviews the single-vector BERT_{DOT} and multi-vector ColBERT architectures, and describes other related approaches.

¹Such as a recent 2021 proposal by the EU Commission on AI regulation, see: <https://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:52021PC0206> (Art. 13)

2.1 Tokenization

Many modern neural IR models use a BERT [9] variant to contextualize sequences and are thus locked into a specific tokenization scheme. The BERT tokenizer first splits full text on whitespace and punctuation characters and then uses the WordPiece algorithm [44] to split words to sub-word tokens in a reduced vocabulary. TAGgregating unique+stemmed whole-words only stores from 59% to 36% of the original sub-word units of BERT in our used collections. Related multi-vector methods, such as ColBERT or (Uni)COIL, generally save all BERT tokens, while our BOW² aggregation (§3.2) saves only stemmed unique whole-words.

2.2 BERT_{DOT} and ColBERT Architectures

BERT_{DOT} matches a single vector of the query with a single vector of a passage, produced by independent BERT computations [30, 32, 55]. ColBERT [22] delays the interactions between query and document to after the BERT computation. For more information we refer the reader to Hofstätter et al. [15].

2.3 Related Work

Vector Reduction. Previous neural IR work on reducing the number of vectors produce fixed sizes across all passages. Lassance et al. [23] prune ColBERT representations to either 50 or 10 vectors by sorting tokens by Inverse Document Frequency (IDF) or attention scores from BERT. Zhou and Devlin [57] extend ColBERT with temporal pooling, sliding a window over the passage to create a vector per step with a fixed target count. Luan et al. [33] represent each passage with a fixed number of embeddings of the CLS token and the first m token of the passage, and compute relevance as the maximum score of the embeddings. Humeau et al. [18] compute a fixed number of vectors per query, and aggregate them by softmax attention against document vectors. Lee et al. [24] learn phrase (multi-word) representations for QA collections. This reduces the vector count, but it depends on the availability of exact answer spans in passages and is therefore not universally applicable in IR. Tonello and Macdonald [47] prune the embeddings of the query terms but the document embeddings.

In summary, unlike related vector reduction techniques we: 1) reduce a dynamic number of vectors per passage; 2) keep a mapping between human-readable tokens and vectors, allowing scoring information to be used in the user interface; 3) learn the full pruning process end-to-end without term-based supervision.

Vector Compression. Ma et al. [34] study various methods to reduce the dimension of dense retrieval vectors. Unlike our study, they find that learned dimension reduction performs poorly. Also for single vector retrieval Zhan et al. [56] optimize product quantization as part of the training. Recently, Santhanam et al. [43] study residual compression of all saved token vectors as part of the ColBERT end-to-end retrieval setting. There are concurrent efforts revisiting lexical matching with learned sparse representations [10, 12, 26] or learned passage impacts [37], which employ the efficiency of exact lexical matches. Different to our work, they focus on reducing the number of dimensions of the learned embeddings without reducing the number of stored tokens. Many of these approaches can be considered complementary to our proposed methods, and future work should evaluate how well these methods compose to achieve even larger compression rates.

3 ColBERTer: ENHANCED REDUCTION

ColBERT with enhanced reduction, or **ColBERTer**, combines the encoding architectures of BERT_{DOT} and ColBERT, while extremely reducing the token storage and latency requirements along the effectiveness Pareto frontier. Our enhancements maintain model transparency, creating a concrete mapping of scoring sources and human-readable whole-words.

ColBERTer independently encodes the query and the document using a transformer encoder like BERT, producing token-level representation similar to ColBERT:

$$\begin{aligned}\tilde{q}_{1:m+2} &= \text{BERT}([\text{CLS}; q_{1:m}; \text{SEP}]) \\ \tilde{p}_{1:n+2} &= \text{BERT}([\text{CLS}; p_{1:n}; \text{SEP}])\end{aligned}\quad (1)$$

To maximize transparency, we do not apply the query augmentation mechanism of Khattab and Zaharia [22] (see §2.2), which appends MASK tokens to the query with the goal of implicit – and thus potentially opaque – query expansion.

3.1 2-Way Dimension Reduction

Given the transformer encoder output, ColBERTer uses linear layers to reduce the dimensionality of the output vectors in two ways: 1) we use the linear layer W_{CLS} to control the dimension of the first CLS-token representation (e.g. 128 dimensions):

$$\begin{aligned}q_{CLS} &= \tilde{q}_1 * W_{CLS} \\ p_{CLS} &= \tilde{p}_1 * W_{CLS}\end{aligned}\quad (2)$$

and 2) the layer W_t projects the remaining tokens down to the token embedding dimension (usually smaller, e.g. 32):

$$\begin{aligned}\hat{q}_{1:m} &= \tilde{q}_{2:m+1} * W_t \\ \hat{p}_{1:n} &= \tilde{p}_{2:n+1} * W_t\end{aligned}\quad (3)$$

This 2-way reduction combined with our novel training workflow (§4.1) serves to reduce our space footprint compared to ColBERT and at the same time provides more expressive encodings than a single vector BERT_{DOT} model. Furthermore, it enables a multitude of potential dense and sparse retrieval workflows (§4.2).

3.2 BOW²: Bag of Unique Whole-Words

Given the token representations ($\hat{q}_{1:m}$ and $\hat{p}_{1:n}$), ColBERTer applies its novel key transformation: BOW² to the sequence of vectors. Whereas ColBERT and COIL maintain one vector for each BERT token, including tokens corresponding to sub-words in the BERT vocabulary, we create a single representation for each unique whole word. This serves to further reduce the storage overhead of our model by reducing the number of tokens, while preserving an explicit mapping of score parts to human understandable words.

During tokenization we build a mapping between each sub-word token and corresponding unique whole word (as defined by a simple split on punctuation and whitespace characters). The words can also be transformed through classical IR techniques such as stemming. Then, inside the model we aggregate whole word representations for each whole word w in passage p by computing the mean of the embeddings of w 's constituent sub-words \hat{p}_i . We get the set of unique whole-word representation of the passage p :

$$\hat{p}_{1:\hat{n}} = \left\{ \frac{1}{|\hat{p}_i \in w|} \sum_{\hat{p}_i \in w} \hat{p}_i \mid \forall w \in \text{BOW}^2(p) \right\} \quad (4)$$

We apply the same procedure symmetrically to the query vectors $\hat{q}_{1:m}$ from equation (7) as well to produce $\hat{q}_{1:\hat{m}}$. The resulting sets are still dynamic in length as their length now depends on the number of whole words (\hat{n} and \hat{m} for passage and query sequences respectively). We refer to the new sets as *bag of words*, as we only save one word once and the order of the vectors now does not matter anymore, because the language model contextualization already happened.

3.3 Simplified Contextualized Stopwords

To further reduce the number of passage tokens to store, we adopt a simplified version of Hofstätter et al. [17]’s contextualized stopwords (CS), which was first introduced for the TK-Sparse model. CS learns a *removal gate* of tokens solely based on their context-dependent vector representations. We simplify the original implementation of CS and adapt the removal process to fit into the encoding phase of the ColBERTer model.

Every whole-word passage vector \hat{p}_j is transformed by a linear layer (with weights W_s and bias b_s), followed by a ReLU activation, to compute a single-dimensional stopword removal gate r_j :

$$r_j = \text{ReLU}(\hat{p}_j W_s + b_s) \quad (5)$$

The original implementation [17] masks scores after TK’s kernel-activation, meaning the non-zero gates have to be saved as well, which increases the systems’ complexity. In contrast, we directly apply the gate to the representation vectors. In particular, we drop every representation where the gate $r_j = 0$, and otherwise scale the magnitude of the remaining representations using their gate scores:

$$\hat{p}_j = \hat{p}_j * \hat{r}_j \quad (6)$$

This fully differentiable approach allows us to learn the stopword gate during training and remove all nullified vectors at indexing time, as they do not contribute to document scores. Applying the stopword gate directly to the representation vector allows us to observe much more stable training than the authors of TK-Sparse observed – we do not need to adapt the training procedure with special mechanisms to keep the model from collapsing. Following Hofstätter et al. [17] we train the removal gate with a regularization loss, forcing the stopword removal gate to become active during training (§4.1).

3.4 Matching & Score Aggregation

After we complete the independent encoding of query and passage sequences, we need to match and score them. ColBERTer creates two scores, one for the CLS vector and one for the token vectors. The CLS score is a dot product of the two CLS vectors:

$$s_{CLS} = q_{CLS} \cdot p_{CLS} \quad (7)$$

The token score follows the scoring regime of ColBERT, with a match matrix of word-by-word dot product and max-pooling the document word dimension followed by a sum over all query words:

$$s_{token} = \sum_{j=1}^{\hat{m}} \max_{i=1..\hat{n}} \hat{q}_j^T \cdot \hat{p}_i \quad (8)$$

The final score of a query-passage pair is computed with a learned aggregation of the two score components:

$$s_{ColBERTer} = \sigma(\gamma) * s_{CLS} + (1 - \sigma(\gamma)) * s_{token} \quad (9)$$

where σ is the sigmoid function, and γ is a trainable scalar parameter. For ablations, $\sigma(\gamma)$ can be set to a fixed number, such as 0.5. While the learned weighting factor may seem superfluous, as the upstream linear layers could already learn to change the magnitudes of the two components, we show in §6.1 that the explicit weighting is crucial to the effectiveness of both components.

3.5 Uni-ColBERTer: Extreme Reduction with Lexical Matching

While ColBERTer considerably reduces the dimension of the representations already, we found in pilot studies that for an embedding dimension of 8 or lower the full match matrix is detrimental to the effectiveness. Lin and Ma [26] showed that a token score model can be effectively reduced to one dimension in UniCOIL. This reduces the token representations to scalar *weights*, necessitating an alternative mechanism to match query tokens with “similar” document tokens.

To fit the same reduction we need to apply more techniques to our ColBERTer architecture to create Uni-ColBERTer with single dimensional whole word vectors. While we now occupy the same bytes per vector, our vector reduction techniques make Uni-ColBERTer 2.5 times smaller than UniCOIL (on MSMARCO).

To reduce the token encoding to 1 dimension we apply a second linear layer after the contextualized stopword component:

$$\begin{aligned} \hat{q}_{1:m+2} &= \hat{q}_{1:\hat{m}} * W_u \\ \hat{p}_{1:n+2} &= \hat{p}_{1:\hat{n}} * W_u \end{aligned} \quad (10)$$

Furthermore, we need to apply a lexical match bias, following COIL’s, to only match identical words with each other. This creates engineering challenge: we do not build a global vocabulary with ids of whole-words during training nor inference as doing so would make it difficult to saturate modern GPUs, requiring multiple synchronized CPU processes (4-10 depending on the system) that prepare the input with tokenization, data transformation, and subsequent tensor batching of sequences. To keep track of a global vocabulary, these CPU processes would need to synchronize with a read-write dictionary on every token. This is very challenging at best in python multiprocessing while keeping the necessary speed to fully use even a single GPU.

To overcome this problem, we propose approximate lexical interactions by creating an n-bit hash H from every whole-word without accounting for potential collisions and applying a mask of equal hashes to the match matrix. Depending on the selection of bits to keep this introduces different numbers of collisions.² Depending on the collection size one can adjust the number of bits to save from the hash. With the hashed global id of whole words we can adjust the match matrix of whole-words for low dimension token models as follows:

$$s_{token} = \sum_{j=1}^{\hat{m}} \max_{i=1..\hat{n}} \hat{q}_j^T \cdot \hat{p}_i \quad (11)$$

²On MSMARCO we found that the first 32 bits of sha256 produce very few collisions (303 collisions out of 1.6 million hashes).

In practice, we implement this procedure by masking the full match matrix, so that the operation works on batched tensors. Besides allowing us reduce the token dimensionality to one, the lexical matching component of Uni-ColBERTer enables the sparse indexing of tokens in an inverted index, following UniCOIL.

4 MODEL LIFECYCLE

In this section we describe how we train our ColBERTer architecture and how we can deploy the trained model into a retrieval system.

4.1 Training Workflow

We train our ColBERTer model with triples of one query, and two passages where one is more relevant than the other. To incorporate the degree of relevance, as provided by a teacher model we use the Margin-MSE loss [15], formalized as follows:

$$\mathcal{L}_{MarginMSE}(M_s) = \text{MSE}(M_s^+ - M_s^-, M_t^+ - M_t^-) \quad (12)$$

Where a teacher model M_t provides a teacher signal for our student model M_s (in our case ColBERTer’s output parts). From the outside ColBERTer looks and acts like a single model, however it is in essence a multi-task model: aggregating sequences into a single vector, representing individual words, and actively removing uninformative words. Therefore, we need to train these three components in a balanced form, with a combined loss function:

$$\mathcal{L} = \alpha_b * \mathcal{L}_b + \alpha_{CLS} * \mathcal{L}_{CLS} + \alpha_{CS} * \mathcal{L}_{CS} \quad (13)$$

where α ’s are hyperparameters governing the weighting of the individual losses, which we explain in the following. The combined loss for both sub-scores \mathcal{L}_b uses MarginMSE supervision on the final score:

$$\mathcal{L}_b = \mathcal{L}_{MarginMSE}(s_{ColBERTer}) \quad (14)$$

In pilot studies and shown in §6.1 we observed that training ColBERTer only with a combined loss strongly reduces the effectiveness of the CLS vector alone. To overcome this issue and be able to use single vector retrieval we define \mathcal{L}_{CLS} as:

$$\mathcal{L}_{CLS} = \mathcal{L}_{MarginMSE}(s_{CLS}) \quad (15)$$

Finally, to actually force the model to learn sparsity in the removal gate vector r of the contextualized stopword component, we follow Hofstätter et al. [17] and add an \mathcal{L}_{CS} loss of the L1-norm of the positive & negative r :

$$\mathcal{L}_{CS} = \|r^+\|_1 + \|r^-\|_1 \quad (16)$$

This introduces some tension in training: the sparsity loss needs to move as many entries to close to zero, while the token loss as part of \mathcal{L}_b needs non-zeros to determine relevance matches. To reduce volatility, we train the enhanced reduction components one after another. We start with a ColBERT checkpoint, followed by the 2-way dimensionality reduction, BOW² and CS, and finally for Uni-ColBERTer we apply another round of reduction.

4.2 Indexing and Query Workflow

Once we have trained our ColBERTer model we need to decide how to deploy it into a wider retrieval workflow. ColBERTer’s passage encoding can be fully pre-computed in an offline setting, which allows for low latency query-time retrieval.

Previous works, such as COIL [12] or ColBERT [22] have already established many of the potential workflows. We aim to give a holistic overview of the possible usage scenarios, including ablation




Figure 2: The potential retrieval and refine workflows of ColBERTer at query time. Broadly categorized by: full hybrid (❶), single index, then refine with the other (❷ + ❸), or only one index for ablation purposes (❹ + ❺).

studies to select the best method with the lowest complexity. We give a schematic overview over ColBERTer’s retrieval workflows in Figure 2. We assume that all passages have been encoded and stored accessibly by their id. Each of the two storage categories can be transformed into an index structure for fast retrieval: the CLS index uses an (approximate) nearest neighbor index, while the BOW² index could use either a dense nearest neighbor index, or a classic inverted index (with activated exact matching component).

Figure 2 ❶ shows how we can index both scoring components of ColBERTer and then use the id-based storages to fill in missing scores for passages retrieved only by one index. A similar workflow has been explored by Lin and Lin [28] and Gao et al. [12]. Figure 2 ❷ & ❸ utilize only one retrieval index and fill up the missing scores from the complementary id-based storage. This approach works vice-versa for dense or sparse indices, and represents a clear complexity and additional index storage reduction, at the potential of lower recall. This is akin to a two stage retrieve and re-rank pipeline [15, 16, 29], but such pipeline have been mostly studied with a separate model per stage (which requires larger indexing resources than our single model). Figure 2 ❹ & ❺ represent ablation studies that only rely on one or the other index while disregarding the other scoring part.

Different workflows may considerably affect complexity, storage, and effectiveness. We thus always indicate the type of query workflow used (numbers given in Figure 2) in our results section and conduct an ablation study in §6.1.

5 EXPERIMENT DESIGN

Our main training and inference dependencies are PyTorch [38], HuggingFace Transformers [54], and the nearest neighbor search library Faiss [20]. For training we utilize TAS-Balanced [16] retrieved negatives with BERT-based teacher ensemble scores [15].

5.1 Passage Collection & Query Sets

For training and in-domain evaluation we use the MSMARCO-Passage (V1) collection [3] with the sparsely-judged MSMARCO-DEV query set of 6,980 queries (used in the leaderboard) as well as the densely-judged 97 query set of combined TREC-DL ’19 [7] and ’20 [8]. For TREC graded relevance (0 = non relevant to 3 = perfect), we use the recommended binarization point of 2 for

Table 1: Analysis of different score aggregation and training methods for ColBERTer (2-way dim reduction only; CLS dim: 128, token dim: 32; Workflow ②) in terms of retrieval effectiveness. We compare refining full-retrieval results from ColBERTer’s CLS vector (Own) and a TAS-Balanced retriever (TAS) with different multi-task loss weights α_b and α_{CLS} . Highest Own in bold, lowest underlined.

Train Loss		TREC-DL’19+20				MSMARCO DEV				
α_b	α_{CLS}	nDCG@10		R@1K		MRR@10		R@1K		
		Own	TAS	Own	TAS	Own	TAS	Own	TAS	
Fixed Score Aggregation										
1	1	0	<u>.684</u>	.740	<u>.565</u>	.861	<u>.336</u>	.386	<u>.773</u>	.978
Learned Score Aggregation										
2	1	0.1	.726	.728	.783	.861	.384	.386	.952	.978
3	1	0.2	.728	.731	.794	.861	.384	.385	.957	.978
4	1	0.5	.734	.734	.807	.861	.386	.386	.961	.978
5	1	1.0	.730	.730	.806	.861	.381	.381	.962	.978

the recall metric. For out of domain experiments we refer to the `ir_datasets` catalogue [35] for collection specific information, as we utilized the standardized test sets for the collections.

5.2 Parameter Settings

Our model instances use a 6-layer DistilBERT [42] encoder as their initialization starting point. For our CLS vector we followed guidance by Ma et al. [34] to utilize 128 dimensions, as it provides sufficient capacity for retrieval. For token vectors, we study and present multiple parameter configurations between 32 and 1 dimension. We initialize models with final token output smaller than 32 with the checkpoint of the 32 dimensional model. The BOW² and CS components do not need any parameterization, other than using a Porter stemmer to aggregate unique words. These components only need to be parameterized in terms of the training loss influence α ’s. We thoroughly studied the robustness of the model to various configurations in §6.1.

6 RESULTS

We now address our research question: we study the source of ColBERTer’s effectiveness, and under which conditions its components work; then we compare our results to related approaches; and additionally we investigate the robustness of ColBERTer out of domain in Appendix A.

6.1 Source of Effectiveness

Our first investigation seeks to understand the relation between the CLS retrieval and token refinement capabilities. The related COIL architecture [12] aggregates their two-way dimension reduction in a sum without explicit weighting and feeds the sum through a single loss function. COIL uses both representation types (namely, CLS and token representations) as index, therefore it is not necessary for any of the components to work standalone. In the ColBERTer architecture, we want to support full retrieval capabilities of the CLS vector as candidate generator. If it fails, the quality of the refinement process does not matter anymore. Therefore, we study:

RQ1 Which aggregation and training regime works best for combined retrieval and refinement capabilities of ColBERTer?

Table 2: Analysis of the bag of whole-words (BOW²) and contextualized stopword training of ColBERTer (CLS dim: 128, token dim: 32; Workflow ②) using different multi-task loss parameters.

Train Loss		BOW ² Vectors		DL’19+20		DEV			
α_b	α_{CLS}	α_{CS}	# Saved	% Stop.	nDCG@10	R@1K	MRR@10	R@1K	
BOW² only									
1	1	0.5	0	43.2	0 %	.731	.815	.387	.963
2	1	0.1	0	43.2	0 %	.736	.806	.387	.960
BOW² + Contextualized Stopwords									
3	1	0.5	1	29.1	33 %	.731	.811	.382	.965
4	1	0.1	1	27.8	36 %	.729	.802	.385	.960
5	1	0.1	0.75	30.9	29 %	.730	.805	.387	.961
6	1	0.1	0.5	36.7	15 %	.725	.806	.387	.962

To isolate the CLS retrieval performance for workflow ② (dense CLS retrieval, followed by BOW² storage refinement) we compare different training and aggregation strategies with ColBERTer’s CLS retrieval vs. re-ranking the candidate set retrieved by a standalone TAS-Balanced retriever in Table 1. Using COIL’s aggregation and training approach (by fixing $\sigma(\gamma) = 0.5$ in Eq. 9 and setting $\alpha_{CLS} = 0$) we observe in line 1 that the CLS retrieval component fails substantially, compared to utilizing TAS-B. We postulate that this happens, as the token refinement component is more capable in determining relevance and therefore it dominates the changes in gradients, which minimizes the standalone capabilities of CLS retrieval. Now, with our proposed multi-task and learned score aggregation (lines 2-5) we observe much better CLS retrieval performance. While it still lacks a bit behind TAS-B in recall, these deficiencies do not manifest itself after refining the token scores for top-10 results in both TREC-DL and MSMARCO DEV. We selected the best performing setting in line 4 for our future experiments.

The next addition in our multi-task framework is the learned removal of stopwords. This adds a third loss function \mathcal{L}_{CS} that conflicts with the objective of the main \mathcal{L}_b loss. Table 2 shows the tradeoff between retained BOW² vectors and effectiveness. In lines 1 & 2 we see ColBERTer without the stopword components, here 43 vectors are saved with unique BOW² for MSMARCO (compared to 77 for all subword tokens). In lines 3 to 6 we study different loss weighting combinations with CS. While the ratio of removed stopwords is rather sensitive to the selected parameters, the effectiveness values largely remain constant for lines 4 to 6. Based on the MRR value of the DEV set (with the smallest effectiveness change, but still 29 % removed vectors) we select configuration 5 going forward, although we stress that our approach would also work well with the other settings, and cherry picking parameters is not needed. This setting reduces the number of vectors and thus footprint by a factor of 2.5 compared to ColBERT, while keeping the same top-10 effectiveness (comparing Table 2 line 5 vs. Table 1 line 1 (TAS-B re-ranked)).

Future work could use a conservative loss setting (such as line 6) that does not force a lot of the word removal gates to become zero (so as to not take away capacity from the loss surface for the ranking tasks), followed by the removal words with a non-zero (but still small) threshold during inference.

Following the ablation of training possibilities, we now turn towards the possible usage scenarios, as laid out in §4.2, and answer:

Table 3: Analysis of the retrieval quality for different query-time retrieval and refinement workflows of ColBERTer with vector dimension of 8 or 1 (Uni-ColBERTer). $nDCG$ and MRR at cutoff 10.

Workflow	Model	DL'19+20		DEV		
		$nDCG$	$R@1K$	MRR	$R@1K$	
Retrieval Only Ablation						
1	⑤ BOW ² only	ColBERTer (Dim8)	.323	.780	.131	.895
2		Uni-ColBERTer	.280	.758	.122	.880
3	④ CLS only	ColBERTer (Dim8)	.669	.795	.326	.958
4		Uni-ColBERTer	.674	.789	.328	.958
Single Retrieval > Refinement						
5	⑥ BOW ² > CLS	ColBERTer (Dim8)	.730	.780	.373	.895
6		Uni-ColBERTer	.724	.673	.369	.880
7	② CLS > BOW ²	ColBERTer (Dim8)	.733	.795	.375	.958
8		Uni-ColBERTer	.727	.789	.373	.958
Hybrid Retrieval & Refinement						
9	① Merge (②+③)	ColBERTer (Dim8)	.734	.873	.376	.981
10		Uni-ColBERTer	.728	.865	.374	.979

RQ2 What is ColBERTer’s best indexing and refinement strategy?

This study uses ColBERTer with exact matching with 8 and 1 dimensions (Uni-ColBERTer) for BOW² vectors, as these are more likely to be used in an inverted index. The inverted index lookup is performed by our hashed id, with potential but highly unlikely conflicts. Then we follow the approach of COIL and UniCOIL to compute dot products for all entries of a posting list for all exact matches between the query and the inverted index, followed by a summation per document, and subsequent sorting to receive a ranked list.

Table 3 presents the results of our study grouped by the type of indexing and retrieval. For all indexing schemes, we use the same trained models. We start with an ablation of only one of the two scoring parts in line 1-4. Unsurprisingly, using only one of the scoring parts of ColBERTer lowers effectiveness. What is surprising, though, is the magnitude of the effectiveness drop of the inverted index only workflow ⑤ compared to both using only CLS retrieval (workflow ④) or refining the results with CLS scores (workflow ①). Continuing the results, in the single retrieval then refinement section in line 5-8, we see that once we combine both scoring parts, the underlying indexing approach matters very little at the top-10 effectiveness (comparing lines 5 & 7, as well as lines 6 & 8), only the reduced recall of the BOW² indexing is carried over. This a great result for the robustness of our system, showing that it can be deployed in a variety of approaches, and practitioners are not locked into a specific retrieval approach. For example if one has made large investments in an inverted index system, they could build on these investments with Uni-ColBERTer.

Finally, we investigate a hybrid indexing workflow ①, where both index types generate candidates and all candidates are refined with the complimentary scoring part. We observe that the recall does increase compared to only one index, however, these improvements do not manifest themselves in the top-10 effectiveness. Here, the results are very close to the simpler workflows ② & ③. Therefore, *to keep it simple* we continue to use workflow ② and would suggest it




Figure 3: Tradeoff between storage requirements and effectiveness on MSMARCO Dev. Note the log scale of the y-axis.

as the primary way of using ColBERTer, if no previous investments make workflow ⑥ more attractive.

A general observation in the neural IR community is that more capacity in the number of vector dimensions usually leads to better results, albeit with diminishing returns. To see how our enhanced reduction fit into this assumption, we study:

RQ3 How do different configurations of dimensionality and vector count affect the retrieval quality of ColBERTer?

We must test whether ColBERTer’s reductions of the number of vectors improves effectiveness or reduces costs when compared with merely reducing the number of dimensions. In Figure 3 we show the tradeoff between storage requirements and effectiveness of our model configurations and closely related baselines.

First, we observe that the results of the single vector TAS-B [16] and multi-vector staged pipeline of TAS-B + ColBERT (ours) form a corridor in which our ColBERTer results are expected to reside. Conforming with the expectations, all ColBERTer results are between the two in terms of effectiveness.

Figure 3 displays 3 ColBERTer reduction configurations for 32, 16, 8, and 1 (Uni-ColBERTer) token vector dimensions. Within each configuration, we observe that increased capacity improves effectiveness at the cost of larger storage. Between configurations, we see that removing half the vectors is more efficient and at the same time equal or even slightly improved effectiveness. Thus, using our enhanced reductions improves the Pareto frontier, compared to just reducing the dimensionality. In the case of Uni-ColBERTer, there is no way of further reducing the dimensionality, so every removed vector enables previously unattainable efficiency gains. Our most efficient Uni-ColBERTer with all (BOW² and CS) reductions enabled reaches parity with the plaintext size it indexes. This includes the dense index which at 128 dimensions roughly takes up 2/3 of the total space.

6.2 Comparing to Related Work

Fast and complex developments in neural IR make it increasingly difficult to contrast retrieval models, as numerous factors influence

Table 4: Comparing ColBERTers retrieval effectiveness to related approaches grouped by storage requirements. The storage factor refers to ratio of index to plaintext size of 3.05 GB. * indicates an estimation by us.

Model		Storage		Query Latency	Interpret. Ranking	TREC-DL'19		TREC-DL'20		DEV	
		Total	Factor			nDCG@10	R@1K	nDCG@10	R@1K	MRR@10	R@1K
Low Storage Systems (max. 2x Factor)											
1	[36] BM25 (PISA)	0.7 GB	× 0.2	8 ms	✓	.501	.739	.475	.806	.194	.868
2	[56] JPQ	0.8 GB	× 0.3	90 ms	✗	.677	–	–	–	.341	–
3	[26] UniCOIL-Tok	N/A	N/A	N/A	✓	–	–	–	–	.315	–
4	[36] UniCOIL-Tok (+docT5query)	1.4 GB	× 0.5	37 ms	✓	–	–	–	–	.352	–
5	[10, 36] SPLADEv2 (PISA)	4.3 GB	× 1.4	220 ms	✗	.729	–	–	–	.369	.979
6	[28] DSR-SPLADE + Dense-CLS (Dim 128)	5 GB	× 1.6	32 ms	✗	.709	–	.673	–	.344	–
7	Uni-ColBERTer (Dim 1)	3.3 GB	× 1.1	55 ms	✓	.727	.761	.726	.812	.373	.958
8	ColBERTer w. EM (Dim 8)	5.8 GB	× 1.9	55 ms	✓	.732	.764	.734	.819	.375	.958
Higher Storage Systems											
9	[12] COIL (Dim 128, 8)	12.5 GB*	× 4.1*	21 ms	✓	.694	–	–	–	.347	.956
10	[12] COIL (Dim 768, 32)	54.7 GB*	× 17.9	41 ms	✓	.704	–	–	–	.355	.963
11	[28] DSR-SPLADE + Dense-CLS (Dim 256)	11 GB	× 3.6	34 ms	✗	.711	–	.678	–	.348	–
12	[26, 29] TCT-ColBERTv2 + UniCOIL (+dT5q)	14.4 GB*	× 4.7*	110 ms	✓	–	–	–	–	.378	–
13	ColBERTer (Dim 16)	9.9 GB	× 3.2	51 ms	✓	.726	.782	.719	.829	.383	.961
14	ColBERTer (Dim 32)	18.8 GB	× 6.2	51 ms	✓	.727	.781	.733	.825	.387	.961

effectiveness, including training data sampling, distillation, and generational training, and it is crucial to also compare systems by their the efficiency. We believe it is important to show that we do not observe substantial differences in effectiveness compared to other systems of similar efficiency and that small deviations of effectiveness should not strongly impact our overall assessment, even if those small differences come out in our favor. With that in mind, we study:

RQ4 How does the fully optimized ColBERTer system compare to other end-to-end retrieval approaches?

Table 4 groups models by our main efficiency focus: the storage requirements, measured as the factor of the plaintext size.

Low Storage Systems. We find that ColBERTer improves on the existing Pareto frontier compared to other approaches, especially for cases with low storage footprint. Uni-ColBERTer (line 7) especially outperforms previous single-dimension token encoding approaches, while at the same time offering improved transparency with whole-word score attributions. We can further improve the dense retrieval component with a technique similar to JPQ [56] (line 2) to reduce our storage footprint.

Higher Storage Systems. While 32 dimensions per token sounds small, the resulting storage increase is staggering. ColBERTer outperforms similarly sized architectures as well, but a fair comparison becomes more difficult than in the low storage systems, as the absolute size differences become much larger. Another curious observation is that larger ColBERTer models (lines 13 & 14) seem to be slightly faster than our smaller instances (lines 7 & 8). We believe this is due to our non-optimized python code to lookup the top-1000 token storage memory locations per query, which takes 10ms for ColBERTer without exact matching and 15 ms for ColBERTer with exact matching as there we need to access 2 locations per passage (one for the values and one for the ids). There is potential for lower-level optimizations in future work.

6.3 Out-of-Domain Robustness

In this section we evaluate the zero-shot performance of our ColBERTer architecture, when it is applied on retrieval collections from domains outside the training data to answer:

RQ5 How robust is ColBERTer when applied out of domain?

Our main aim is to present an analysis grounded in robust evaluation [50, 58] that does not fall for common problematic shortcuts in IR evaluation like influence of effect sizes [11, 52], relying on too shallow pooled collections [2, 31, 53], not accounting for pool bias in old collections [5, 40, 41], and aggregating metrics over different collections which are not comparable [45]. We first describe our evaluation methodology and then discuss our results presented in Figure 4.

Methodology. We selected seven datasets from the `ir_datasets` catalogue [35]: Bio medical (TREC Covid [49, 51], TripClick [39], NFCorpus [4]), Entity centric (DBpedia Entity [14]), informal language (Antique [13], TREC Podcast [21]), news cables (TREC Robust 04 [48]). The datasets are not based on web collections, have at least 50 queries, and importantly contain judgements from both relevant and non-relevant categories. Three datasets are also part of the BEIR [46] catalogue. We choose not to use other datasets from BEIR, as they do not contain non-relevant judgements, which makes it impossible to conduct pooling bias corrections.

We follow Sakai [40] to correct our metric measurements for pool bias by observing only measuring effectiveness on judged passages, which means removing all retrieved passages that are not judged and then re-assigning the ranks of the remaining ones. This is in contrast with the default assumption that non-judged passages are not relevant, which naturally favors methods that have been part of the pooling process. Additionally, we follow Soboroff [45] to utilize an effect size analysis that is popular in medicine and social sciences. Soboroff [45] proposed to use this effect size as meta analysis tool to be able to compare statistical significance across different retrieval collections. In this work we combine the




Figure 4: Effect size evaluation of out of domain robustness. We compare three pairings between control vs. treatment. The comparison is dependent on the effect size of each collection. Mean NDCG@10 differences are standardized with the effect size. Confidence intervals are plotted around the standardized mean difference \blacklozenge . The Summary Effect is computed with the Random-Effect (RE) model. We see an overall significant improvement for ColBERTer (Dim1 and Dim32) to BM25.

evaluation approaches of Sakai [40] and Soboroff [45] for the first time to increase our confidence in results and analysis.

We take the standardized mean difference (SMD) in nDCG@10 score between a baseline model and our model as the effect. Besides the variability within a collection, we assume a between collection heterogeneity [45]. Following Soboroff [45], we use a random-effect model to estimate the summary effect of our model and each individual effect’s contribution, i.e., weight. We use the DerSimonian and Laird estimate [1] to obtain the between collection variance. We illustrate the outcome of our meta-analysis as forest plots. Diamonds \blacklozenge show the effect in each collection and, in turn, in summary. Each effect is accompanied by its 95% confidence interval – the grey line. The dotted vertical line marks *null effect*, i.e., zero SMD in nDCG@10 score between our model and the compared baseline. A confidence interval crossing the null effect line indicates that the corresponding effect is statistically not significant; in all other cases, it contains the actual effect of our model 95% of the time.

As baseline, we utilize BM25 as implemented by Pysnerini [27]. We apply our models, trained on MSMARCO, end-to-end in a zero-shot fashion with our default settings for retrieval. We compare a ColBERTer version with 32 token dimensions, as well as Uni-ColBERTer with a single token dimension and exact matching prior.

Discussion. Figure 4a illustrates the effect of using Uni-ColBERTer instead of BM25 across collections and the corresponding summary effect. Compared to the retrospective approach of hypothesis testing with p-values, confidence intervals are predictive [45]. Considering the TripClick collection, for example, we expect the effect to be between .09 and .25 95% of the time, indicating that we can detect the effect size of .17 SMD at the given confidence level and underlining the significant effectiveness gains using Uni-ColBERTer over BM25. Only on TREC Robust 04 is the small improved difference inside a 95% confidence interval. Overall, by judging the summary effect in Figure 4a, we expect that choosing Uni-ColBERTer over BM25 consistently and significantly improves effectiveness. Similarly, considering Figure 4b, we expect ColBERTer (Dim32) to consistently and significantly outperform BM25. However, comparing the summary effects in Figure 4a and Figure 4b, we expect Uni-ColBERTer and ColBERTer (Dim32) to behave similarly if run against BM25,

suggesting to use the more efficient model. We also compare our model to an effective neural dense retriever TAS-B [16], shown to work well out of domain [46]. We report the effect of using ColBERTer (Dim32) vs. TAS-B in Figure 4c, which paints a less clear image than in the other two cases. Most collections overlap inside the 95% CI, including the summary effect model, suggesting the models are equally effective. Only the Antique collection is significantly improved by ColBERTer. TREC Covid is a curious case: looking at absolute numbers, one would easily assume a substantial improvement but because it only evaluates 50 queries the confidence interval is very wide. Finally, what does this mean for a deployment decision of ColBERTer vs. TAS-B? We need to consider other aspects, such as transparency. We argue ColBERTer increases transparency over TAS-B as laid out in this paper and it does not show a single collection with significantly worse results, favoring the selection of ColBERTer.

7 CONCLUSION

In this paper, we proposed ColBERTer, an efficient and effective retrieval model that improves the storage efficiency, the retrieval complexity, and the interpretability of the ColBERT architecture along the effectiveness Pareto frontier. To this end, ColBERTer learns whole-word representations that exclude contextualized stopwords, yielding 2.5 \times fewer vectors than ColBERT while supporting user-friendly query–document scoring patterns at the level of whole words. ColBERTer also uses a multi-task, multi-stage training objective—as well as an optional lexical matching component—that together enable it to aggressively reduce the vector dimension to 1. Extensive empirical evaluation shows that ColBERTer is highly effective on MS MARCO and TREC-DL and highly robust out of domain, while demonstrating highly-competitive storage efficiency with prior dense and sparse models.

Acknowledgements. This work has received funding from the European Union’s Horizon 2020 research and innovation program under grant agreement No 822670 and from the EU Horizon 2020 ITN/ETN project on Domain Specific Systems for Information Extraction and Retrieval (H2020-EU.1.3.1., ID: 860721).

REFERENCES

- [1] 2015. Meta-analysis in clinical trials revisited. *Contemporary Clinical Trials* 45 (2015), 139–145. <https://doi.org/10.1016/j.cct.2015.09.002> 10th Anniversary Special Issue.
- [2] Negar Arabzadeh, Alexandra Vtyurina, Xinyi Yan, and Charles LA Clarke. 2021. Shallow pooling for sparse labels. *arXiv preprint arXiv:2109.00062* (2021).
- [3] Payal Bajaj, Daniel Campos, Nick Craswell, Li Deng, Jianfeng Gao, Xiaodong Liu, Rangan Majumder, Andrew Mcnamara, Bhaskar Mitra, and Tri Nguyen. 2016. MS MARCO : A Human Generated MACHine Reading COmprehension Dataset. In *Proc. of NIPS*.
- [4] Vera Boteva, Demian Gholipour, Artem Sokolov, and Stefan Riezler. 2016. A Full-Text Learning to Rank Dataset for Medical Information Retrieval. In *Proceedings of the European Conference on Information Retrieval (ECIR)* (Padova, Italy). Springer.
- [5] Chris Buckley and Ellen M Voorhees. 2004. Retrieval evaluation with incomplete information. In *Proceedings of the 27th annual international ACM SIGIR conference on Research and development in information retrieval*. 25–32.
- [6] Carlos Castillo. 2019. Fairness and Transparency in Ranking. *SIGIR Forum* 52, 2 (jan 2019), 64–71. <https://doi.org/10.1145/3308774.3308783>
- [7] Nick Craswell, Bhaskar Mitra, Emine Yilmaz, and Daniel Campos. 2019. Overview of the TREC 2019 deep learning track. In *TREC*.
- [8] Nick Craswell, Bhaskar Mitra, Emine Yilmaz, and Daniel Campos. 2020. Overview of the TREC 2020 Deep Learning Track. In *TREC*.
- [9] Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2018. BERT: Pre-training of Deep Bidirectional Transformers for Language Understanding. *arXiv preprint arXiv:1810.04805* (2018).
- [10] Thibault Formal, Carlos Lassance, Benjamin Piwowarski, and Stéphane Clinchant. 2021. SPLADE v2: Sparse lexical and expansion model for information retrieval. *arXiv preprint arXiv:2109.10086* (2021).
- [11] Norbert Fuhr. 2018. Some Common Mistakes In IR Evaluation. And How They Can Be Avoided. *SIGIR Forum* 51, 3 (feb 2018), 32–41. <https://doi.org/10.1145/3190580.3190586>
- [12] Luyu Gao, Zhuyun Dai, and Jamie Callan. 2021. COIL: Revisit Exact Lexical Match in Information Retrieval with Contextualized Inverted List. *arXiv preprint arXiv:2104.07186* (2021).
- [13] Helia Hashemi, Mohammad Aliannejadi, Hamed Zamani, and W Bruce Croft. 2020. ANTIQUE: A non-factoid question answering benchmark. In *Proc. of ECIR*.
- [14] Faegheh Hasibi, Fedor Nikolae, Chenyan Xiong, K. Balog, S. E. Bratsberg, Alexander Kotov, and J. Callan. 2017. DBpedia-Entity v2: A Test Collection for Entity Search. *Proceedings of the 40th International ACM SIGIR Conference on Research and Development in Information Retrieval* (2017).
- [15] Sebastian Hofstätter, Sophia Althammer, Michael Schröder, Mete Sertkan, and Allan Hanbury. 2020. Improving Efficient Neural Ranking Models with Cross-Architecture Knowledge Distillation. *arXiv:2010.02666* (2020).
- [16] Sebastian Hofstätter, Sheng-Chieh Lin, Jheng-Hong Yang, Jimmy Lin, and Allan Hanbury. 2021. Efficiently Teaching an Effective Dense Retriever with Balanced Topic Aware Sampling. In *Proceedings of the 44rd International ACM SIGIR Conference on Research and Development in Information Retrieval (SIGIR '21)*.
- [17] Sebastian Hofstätter, Aldo Lipani, Markus Zlabinger, and Allan Hanbury. 2020. Learning to Re-Rank with Contextualized Stopwords. In *Proc. of CIKM*.
- [18] Samuel Humeau, Kurt Shuster, Marie-Anne Lachaux, and Jason Weston. 2020. Poly-encoders: Transformer Architectures and Pre-training Strategies for Fast and Accurate Multi-sentence Scoring. *1Proceedings of the International Conference on Learning Representations (ICLR) 2020*.
- [19] Shiyu Ji, Jinjin Shao, and Tao Yang. 2019. Efficient Interaction-based Neural Ranking with Locality Sensitive Hashing. In *Proc. of WWW*.
- [20] Jeff Johnson, Matthijs Douze, and Hervé Jégou. 2017. Billion-Scale Similarity Search with GPUs. *arXiv:1702.08734* (2017).
- [21] Rosie Jones, Ben Carterette, Ann Clifton, Maria Eskevich, Gareth JF Jones, Jussi Karlgren, Aasish Pappu, Sravana Reddy, and Yongze Yu. 2021. Trec 2020 podcasts track overview. *arXiv preprint arXiv:2103.15953* (2021).
- [22] Omar Khattab and Matei Zaharia. 2020. ColBERT: Efficient and Effective Passage Search via Contextualized Late Interaction over BERT. In *Proc. of SIGIR*.
- [23] Carlos Lassance, Maroua Maachou, Joohee Park, and Stéphane Clinchant. 2021. A Study on Token Pruning for ColBERT. *arXiv:2112.06540 [cs.IR]*
- [24] Jinhyuk Lee, Mujeen Sung, Jaewoo Kang, and Danqi Chen. 2020. Learning dense representations of phrases at scale. *arXiv preprint arXiv:2012.12624* (2020).
- [25] Patrick Lewis, Barlas Öguz, Wenhao Xiong, Fabio Petroni, Wen tau Yih, and Sebastian Riedel. 2021. Boosted Dense Retriever. *arXiv preprint arXiv:2112.07771* (2021).
- [26] Jimmy Lin and Xueguang Ma. 2021. A few brief notes on deepimpact, coil, and a conceptual framework for information retrieval techniques. *arXiv preprint arXiv:2106.14807* (2021).
- [27] Jimmy Lin, Xueguang Ma, Sheng-Chieh Lin, Jheng-Hong Yang, Ronak Pradeep, and Rodrigo Nogueira. 2021. Pyserini: A Python Toolkit for Reproducible Information Retrieval Research with Sparse and Dense Representations. In *Proc. of SIGIR*.
- [28] Sheng-Chieh Lin and Jimmy Lin. 2021. Densifying Sparse Representations for Passage Retrieval by Representational Slicing. *arXiv preprint arXiv:2112.04666* (2021).
- [29] Sheng-Chieh Lin, Jheng-Hong Yang, and Jimmy Lin. 2020. Distilling Dense Representations for Ranking using Tightly-Coupled Teachers. *arXiv:2010.11386* (2020).
- [30] Wenhao Lu, Jian Jiao, and Ruofei Zhang. 2020. TwinBERT: Distilling Knowledge to Twin-Structured BERT Models for Efficient Retrieval. *arXiv:2002.06275* (2020).
- [31] Xiaolu Lu, Alistair Moffat, and J Shane Culpepper. 2016. The effect of pooling and evaluation depth on IR metrics. *Information Retrieval Journal* 19, 4 (2016), 416–445.
- [32] Yi Luan, Jacob Eisenstein, Kristina Toutanova, and Michael Collins. 2020. Sparse, Dense, and Attentional Representations for Text Retrieval. *arXiv preprint arXiv:2005.00181* (2020).
- [33] Yi Luan, Jacob Eisenstein, Kristina Toutanova, and Michael Collins. 2021. Sparse, Dense, and Attentional Representations for Text Retrieval. *Transactions of the Association for Computational Linguistics* 9 (2021), 329–345. https://doi.org/10.1162/tacl_a_00369
- [34] Xueguang Ma, Minghan Li, Kai Sun, Ji Xin, and Jimmy Lin. 2021. Simple and Effective Unsupervised Redundancy Elimination to Compress Dense Vectors for Passage Retrieval. In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*.
- [35] Sean MacAvaney, Andrew Yates, Sergey Feldman, Doug Downey, Arman Cohan, and Nazli Goharian. 2021. Simplified Data Wrangling with ir_datasets. In *SIGIR*.
- [36] Joel Mackenzie, Andrew Trotman, and Jimmy Lin. 2021. Wacky weights in learned sparse representations and the revenge of score-at-a-time query evaluation. *arXiv preprint arXiv:2110.11540* (2021).
- [37] Antonio Mallia, Omar Khattab, Torsten Suel, and Nicola Tonello. 2021. *Learning Passage Impacts for Inverted Indexes*. Association for Computing Machinery, New York, NY, USA, 1723–1727. <https://doi.org/10.1145/3404835.3463030>
- [38] Adam Paszke, Sam Gross, Soumith Chintala, Gregory Chanan, et al. 2017. Automatic differentiation in PyTorch. In *NIPS-W*.
- [39] Navid Rekasaz, Oleg Lesota, Markus Schedl, Jon Brassey, and Carsten Eickhoff. 2021. TripClick: The Log Files of a Large Health Web Search Engine. In *SIGIR*.
- [40] Tetsuya Sakai. 2007. Alternatives to Bpref. In *Proc. of SIGIR*.
- [41] Tetsuya Sakai. 2008. Comparing Metrics across TREC and NTCIR: The Robustness to System Bias. In *Proc. of CIKM*.
- [42] Victor Sanh, Lysandre Debut, Julien Chaumond, and Thomas Wolf. 2019. DistilBERT, a distilled version of BERT: smaller, faster, cheaper and lighter. *arXiv preprint arXiv:1910.01108* (2019).
- [43] Keshav Santhanam, Omar Khattab, Jon Saad-Falcon, Christopher Potts, and Matei Zaharia. 2021. ColBERTv2: Effective and Efficient Retrieval via Lightweight Late Interaction. *arXiv preprint arXiv:2112.01488* (2021).
- [44] Mike Schuster and Kaisuke Nakajima. 2012. Japanese and korean voice search. In *2012 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP)*. IEEE, 5149–5152.
- [45] Ian Soboroff. 2018. Meta-Analysis for Retrieval Experiments Involving Multiple Test Collections. In *Proc. of CIKM*.
- [46] Nandan Thakur, Nils Reimers, Andreas Rücklé, Abhishek Srivastava, and Iryna Gurevych. 2021. BEIR: A Heterogenous Benchmark for Zero-shot Evaluation of Information Retrieval Models. *arXiv:2104.08663 [cs.IR]*
- [47] Nicola Tonello and Craig Macdonald. 2021. *Query Embedding Pruning for Dense Retrieval*. Association for Computing Machinery, New York, NY, USA, 3453–3457. <https://doi.org/10.1145/3459637.3482162>
- [48] Ellen Voorhees. 2004. Overview of the TREC 2004 Robust Retrieval Track. In *TREC*.
- [49] E. Voorhees, Tasmeer Alam, Steven Bedrick, Dina Demner-Fushman, W. Hersh, Kyle Lo, Kirk Roberts, I. Soboroff, and Lucy Lu Wang. 2020. TREC-COVID: Constructing a Pandemic Information Retrieval Test Collection. *ArXiv abs/2005.04474* (2020).
- [50] Ellen M Voorhees. 2001. The philosophy of information retrieval evaluation. In *Workshop of the cross-language evaluation forum for european languages*. Springer, 355–370.
- [51] Lucy Lu Wang, Kyle Lo, Yoganand Chandrasekhar, Russell Reas, Jiangjiang Yang, Darrin Eide, K. Funk, Rodney Michael Kinney, Ziyang Liu, W. Merrill, P. Mooney, D. Murdick, Devvret Rishi, Jerry Sheehan, Zhihong Shen, B. Stilson, A. Wade, K. Wang, Christopher Wilhelm, Boya Xie, D. Raymond, Daniel S. Weld, Oren Etzioni, and Sebastian Kohlmeier. 2020. CORD-19: The Covid-19 Open Research Dataset. *ArXiv* (2020).
- [52] William Webber, Alistair Moffat, and Justin Zobel. 2008. Statistical Power in Retrieval Experimentation. In *Proc. of CIKM*.
- [53] William Webber and Laurence A. F. Park. 2009. Score Adjustment for Correction of Pooling Bias. In *Proc. of SIGIR*.
- [54] Thomas Wolf, Lysandre Debut, Victor Sanh, Julien Chaumond, Clement Delangue, Anthony Moi, Pierric Cistac, Tim Rault, Remi Louf, Morgan Funtowicz, Joe Davison, Sam Shleifer, Patrick von Platen, Clara Ma, Yacine Jernite, Julien Plu, Canwen Xu, Teven Le Scao, Sylvain Gugger, Mariama Drame, Quentin Lhoest, and Alexander Rush. 2020. Transformers: State-of-the-Art Natural Language

- Processing. In *Proc. EMNLP: System Demonstrations*. 38–45.
- [55] Lee Xiong, Chenyan Xiong, Ye Li, Kwok-Fung Tang, Jialin Liu, Paul Bennett, Junaid Ahmed, and Arnold Overwijk. 2020. Approximate Nearest Neighbor Negative Contrastive Learning for Dense Text Retrieval. *arXiv preprint arXiv:2007.00808* (2020).
- [56] Jingtao Zhan, Jiaxin Mao, Yiqun Liu, Jiafeng Guo, Min Zhang, and Shaoping Ma. 2021. Jointly optimizing query encoder and product quantization to improve retrieval performance. In *Proc. of CIKM*.
- [57] Giulio Zhou and Jacob Devlin. 2021. Multi-Vector Attention Models for Deep Re-ranking. In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*. 5452–5456.
- [58] Justin Zobel. 1998. How Reliable Are the Results of Large-Scale Information Retrieval Experiments?. In *Proc. of SIGIR*.